




## ACCESORII LA CERERE






	DESCRIERE	COD	DIAMETRU	SE UTILIZEAZA CU:
	furtun aspirare evaflex (etil-vinil-acetat), la metru	004.001	40 mm	Toate mod.
		004.002	50 mm	MT - TT - TTX TCX - JUMBO
	furtun aspirare, conductor antistatic permanent, la metru	004.007	40 mm	Toate mod.
		004.008	50 mm	MT - TT - TTX TCX - JUMBO
	furtun aspirare anti-ulei, anti-abraziv, antistatic cu spire, la metru	004.010	40 mm	Toate mod.
		004.011	50 mm	MT - TT - TTX TCX - JUMBO
	furtun aspirare rezistent la caldura (-25°C +125°C), la metru	004.027	40 mm	Toate mod.
		004.028	50 mm	MT - TT - TTX TCX - JUMBO
		004.013	60 mm	MT - TT - TTX TCX - JUMBO
	furtun aspirare din otel, rezistent la 400°C, la metru	004.338	40 mm	MT - TT - TTX TCX - JUMBO
	kit diam. 40 mm	004.330	40 mm	Toate mod.
	kit diam. 50 mm	004.458	50 mm	MT - TT - TTX TCX - JUMBO
	furtun aspirare complet diam.40 mm, 3 metri	004.329	40 mm	Toate mod.
	furtun aspirare complet diam.50 mm, 3 metri	004.038	50 mm	MT - TT - TTX TCX - JUMBO
	cot dublu din inox diam.40 mm	004.046	40 mm	Toate mod.
	prelungitor "l" otel, diam.50 mm	004.137	50 mm	MT - TT - TTX TCX - JUMBO

	DESCRIERE	COD	DIAMETRU	SE UTILIZEAZA CU:
	prelungitor din otel 50 cm- diam.50 mm	004.138	50 mm	MT - TT - TTX TCX - JUMBO
	perie "s", diam.40 mm	004.331	40 mm	Toate mod.
	racleta lichide "s", diam.40 mm	004.306	40 mm	Toate mod.
	perie si set raclete diam.50 mm	004.450	50 mm	MT - TT - TTX TCX - JUMBO
	perie rotunda	004.088	40 mm	Toate mod.
		004.096	50 mm	MT - TT - TTX TCX - JUMBO
	lance plata	004.421	40 mm	Toate mod.
		004.162	50 mm	MT - TT - TTX TCX - JUMBO
	manson din pvc, diam.40 mm	004.014	40 mm	Toate mod.
	manson evaflex, diam.50 mm	004.015	50 mm	MT - TT - TTX TCX - JUMBO
	manson abs, diam.40 mm	004.328	40 mm	Toate mod.
	manson din cauciuc antistatic	004.019	40 mm	Toate mod.
		004.020	50 mm	MT - TT - TTX TCX - JUMBO
	reductor din otel	004.023	70>40 mm	Toate mod.
		004.024	70>50 mm	MT - TT - TTX TCX - JUMBO

	DESCRIERE	COD	DIAMETRU	SE UTILIZEAZA CU:
	reductor din otel inoxidabil	004.025	70>40 mm	Toate mod.
		004.026	70>50 mm	MT - TT - TTX TCX - JUMBO
	manson din cauciuc pentru conectare flexibila diam.40 mm - lance diam.50 mm	004.031	-	MT - TT - TTX TCX - JUMBO
	manson de conectare din otel	004.032	40 mm	Toate mod.
		004.033	50 mm	MT - TT - TTX TCX - JUMBO
	manson de conectare din otel inoxidabil	004.035	40 mm	Toate mod.
		004.036	50 mm	MT - TT - TTX TCX - JUMBO
	bifurcatie din otel	004.048	40 mm	Toate mod.
		004.049	50 mm	MT - TT - TTX TCX - JUMBO
	lance plata din otel inoxidabil	004.065	50 mm	MT - TT - TTX TCX - JUMBO
	racleta "mana" din cauciuc antistatic	004.070	40 mm	Toate mod.
		004.071	50 mm	MT - TT - TTX TCX - JUMBO
	racleta "mana" din silicon	004.072	50 mm	MT - TT - TTX TCX - JUMBO
	duza 45° din cauciuc	004.073	40 mm	Toate mod.
		004.074	50 mm	MT - TT - TTX TCX - JUMBO
	duza 45° din cauciuc antistatic	004.076	40 mm	Toate mod.
		004.077	50 mm	MT - TT - TTX TCX - JUMBO
	duza 45° din silicon ( pentru utilizare in industria alimentara si farmaceutica)	004.079	50 mm	MT - TT - TTX TCX - JUMBO

	DESCRIERE	COD	TIP	SE UTILIZEAZA CU:
	duza conica din cauciuc antistatic, gaura 10-25 mm	004.082	40 mm	Toate mod.
		004.083	50 mm	MT - TT - TTX TCX - JUMBO
	duza conica curbata din cauciuc, gaura 10-25 mm	004.084	40 mm	Toate mod.
		004.085	50 mm	MT - TT - TTX TCX - JUMBO
	duza conica curbata, cauciuc antistatic, gaura 10-25 mm	004.086	40 mm	Toate mod.
		004.087	50 mm	MT - TT - TTX TCX - JUMBO
	kit cuptor diam.40 mm	004.332	40 mm	Toate mod.
	furtun flexibil de aspirare din otel, complet, pentru kit cuptor	004.345	40 mm	Toate mod.
	prelungitor aluminiu diam.40 mm, 1 metru	004.341	40 mm	Toate mod.
	prelungitor din aluminiu semi-protejat diam.40 mm, 1 metru, pentru kit cuptor	004.366	40 mm	Toate mod.
	prelungitor protejat total diam.40 mm - 1 metru, pentru kit cuptor	004.365	50 mm	Toate mod.
	racleta diam. 40 mm pentru kit cuptor	004.449	40 mm	Toate mod.
	accesoriu fix pentru aspiratoarele industriale	004.063	70 mm	MT - TT - TTX TCX - JUMBO
	separator din inox	004.101	-	MT - TT
		004.093	-	TTX - TCX
	ciclon	004.029	-	MT - TT
		004.102	-	TTX - TCX

	DESCRIERE	COD	DIAMETRU	SE UTILIZEAZA CU:
	suport filtru	001.393	-	TH
		001.009	-	TTX - TCX
		004.105	-	QT - MT - TT
	filtru cilindric (sistem de autocuratare)	004.416	STANDARD CLASA L	TH
		004.185	TEFLON CLASA M	TH
		004.300	REZISTENT LA CALDURA CLASA L	TH
		004.301	ANTISTATIC CLASA L	TH
		004.302	MICROFILTRU CLASA M	TH
		004.107	STANDARD CLASA L	QT - MT - TT
		004.109	TEFLON CLASA M	QT - MT - TT
		004.207	REZISTENT LA CALDURA CLASA L	QT - MT - TT
		004.108	ANTISTATIC CLASA L	QT - MT - TT
		004.150	MICROFILTRU CLASA M	QT - MT - TT
		004.122	STANDARD CLASA L	TTX
		004.119	TEFLON CLASA M	TTX
		004.123	REZISTENT LA CALDURA CLASA L	TTX
		004.117	ANTISTATIC CLASA L	TTX
		004.143	MICROFILTRU CLASA M	TTX
	filtru stelar cu suprafata mare de filtrare	004.130	STANDARD CLASA L	MT - TT
		004.135	TEFLON CLASA M	MT - TT
		004.121	REZISTENT LA CALDURA CLASA L	MT - TT
		004.098	ANTISTATIC CLASA L	MT - TT
		004.140	MICROFILTRU CLASA M	MT - TT
		004.111	STANDARD CLASA L	TTX - TCX
		004.113	TEFLON CLASA M	TTX - TCX
		004.114	REZISTENT LA CALDURA CLASA L	TTX - TCX
		004.112	ANTISTATIC CLASA L	TTX - TCX
		004.141	MICROFILTRU CLASA M	TTX - TCX

	DESCRIERE	COD	DIAMETRU	SE UTILIZEAZA CU:
	filtru hepa	004.437	CLASA H14	TH
		004.348	CLASA H14	MT - TT
		004.115	CLASA H14	TTX - TCX
	filtru hepa, certificat DOP, clasa h14	004.116	CLASA H14	TTX - TCX
	filtru nylon	004.103	-	TH - QT - MT - TT
		004.118	-	TTX - TCX
	filtru/sac super	004.335	-	TH
	separator complet, recipient 80 litri	001.499.022	-	QT - MT - TT TTX - TCX
	separator basculant 400 litri, predispus pentru transportarea cu stivuitorul	004.142	-	QT - MT - TT - TTX CX - JUMBO
	scuturator filtru electric, complet	004.061	-	Toate mod. de 220V
		004.189	-	Toate mod. de 380V
	afs - scuturator filtru automat, complet, cu temporizator 380V	004.062	-	Toate mod. de 380V